









# ANSCHLAGSEILE


## Traglasttabelle für Anschlagseile

Faktor	1-Strang		2-Strang				3-/4-Strang	
	direkt	geschnürt	0° - 45°		45° - 60°		0° - 45°	45° - 60°
			direkt	geschnürt	direkt	geschnürt		
	1,0	0,8	1,4	1,1	1,0	0,8	2,1	1,5
								
Seil Ø	WLL	WLL	WLL	WLL	WLL	WLL	WLL	WLL
mm	t	t	t	t	t	t	t	t
8	0,70	0,56	0,98	0,77	0,70	0,56	1,40	1,05
10	1,00	0,80	1,40	1,10	1,00	0,80	2,10	1,50
12	1,50	1,20	2,10	1,65	1,50	1,20	3,20	2,30
14	2,00	1,60	2,80	2,20	2,00	1,60	4,20	3,00
16	2,70	2,16	3,78	2,97	2,70	2,16	5,70	4,00
18	3,15	2,52	4,41	3,47	3,15	2,52	6,60	4,70
20	4,00	3,20	5,60	4,40	4,00	3,20	8,40	6,00
22	5,00	4,00	7,00	5,50	5,00	4,00	10,50	7,50
24	6,30	5,04	8,82	6,93	6,30	5,04	13,20	9,40
26	7,00	5,60	9,80	7,70	7,00	5,60	14,70	10,50
28	8,00	6,40	11,20	8,80	8,00	6,40	16,80	12,00
32	11,00	8,80	15,40	12,10	11,00	8,80	23,00	16,50
36	14,00	11,20	19,60	15,40	14,00	11,20	29,00	21,00
40	17,00	13,60	23,80	18,70	17,00	13,60	34,70	25,50
44	21,00	16,80	29,40	23,10	21,00	16,80	44,10	31,50
48	25,00	20,00	35,00	27,50	25,00	20,00	52,50	37,50
52	29,00	23,20	40,00	31,90	29,00	23,20	62,00	44,00
56	33,50	26,80	47,00	36,85	33,50	26,80	71,00	50,00
60	39,00	31,20	54,00	42,90	39,00	31,20	81,00	58,00

# ANSCHLAGSEILE

## Seilstruppen 1-Strang


Artikel	Seil Ø	WLL	Schlaufenlänge (L1)	Kauschenbreite (a)
	mm			
SS 8	8	0,70	200	24
SS 10	10	1,00	250	28
SS 12	12	1,50	250	32
SS 14	14	2,00	250	36
SS 16	16	2,70	250	40
SS 18	18	3,15	300	45
SS 20	20	4,00	300	50
SS 24	24	6,30	360	62
SS 28	28	8,00	450	75



» Andere Ausführungen auf Anfrage

## Seilgehänge 1-Strang

Artikel	Seil Ø	WLL
	mm	
SGH 1-8	8	0,70
SGH 1-10	10	1,00
SGH 1-12	12	1,50
SGH 1-14	14	2,00
SGH 1-16	16 </td <td>2,70</td>	2,70
SGH 1-18	18	3,15
SGH 1-20	20	4,00
SGH 1-24	24	6,30
SGH 1-28	28	8,00



» Andere Ausführungen auf Anfrage

## Seilgehänge 2-Strang

Artikel	Seil Ø	WLL	
		0° - 45° t	45° - 60° t
SGH 2-8	8	0,98	0,70
SGH 2-10	10	1,40	1,00
SGH 2-12	12	2,10	1,50
SGH 2-14	14	2,80	2,00
SGH 2-16	16	3,78	2,70
SGH 2-18	18	4,41	3,15
SGH 2-20	20	5,60	4,00
SGH 2-24	24	8,82	6,30
SGH 2-28	28	11,20	8,00



» Andere Ausführungen auf Anfrage

# ANSCHLAGSEILE

## Seilgehänge 3-Strang



Artikel	Seil Ø	WLL	
	mm	0° - 45° t	45° - 60° t
SGH 3-8	8	1,40	1,05
SGH 3-10	10	2,10	1,50
SGH 3-12	12	3,20	2,30
SGH 3-14	14	4,20	3,00
SGH 3-16	16	5,70	4,00
SGH 3-18	18	6,60	4,70
SGH 3-20	20	8,40	6,00
SGH 3-24	24	13,20	9,40
SGH 3-28	28	16,80	12,00

» Andere Ausführungen auf Anfrage


## Seilgehänge 4-Strang



Artikel	Seil Ø	WLL	
	mm	0° - 45° t	45° - 60° t
SGH 4-8	8	1,40	1,05
SGH 4-10	10	2,10	1,50
SGH 4-12	12	3,20	2,30
SGH 4-14	14	4,20	3,00
SGH 4-16	16	5,70	4,00
SGH 4-18	18	6,60	4,70
SGH 4-20	20	8,40	6,00
SGH 4-24	24	13,20	9,40
SGH 4-28	28	16,80	12,00

» Andere Ausführungen auf Anfrage

## Endlosseil



ES, verspleißt    EH, verpresst

Faktor	1,00		0,8	
	Seil Ø	WLL direkt 	WLL geschnürt 	
	mm	t	t	
	24	9,00	7,00	
	27	11,50	9,00	
	30	14,00	11,00	
	33	17,00	13,50	
	36	20,00	16,00	
	39	23,50	19,00	
	42	27,00	21,50	
	48	35,50	28,50	
	54	45,00	36,00	
	60	55,50	44,50	